

## **Test Report**

Date : 2022-03-17 Page 1 of 7
No. : SP22030099

**Applicant** : Hayes Specialties Corporation

1761 East Genesee Saginaw, MI 48601-2407

Attn: Michael

**Description of Samples**: One (1) group of submitted samples said to be:

16576 COWBOY HAT- CHILDRENS SIZE W/ WHITE-3 ASST

**COLORS** 

SP16576-B SOLID PACK COWBOY HAT- CHILDRENS SIZE-

BROWN ONLY-SOLD ONLY BY THE CASE OF 60

SP16576-P SOLID PACK COWBOY HAT- CHILDRENS SIZE-

PINK ONLY-SOLD ONLY BY THE CASE OF 60

SP16576-R SOLID PACK COWBOY HAT- CHILDRENS SIZE-

RED ONLY BY THE CASE OF 60 COUNTRY OF ORIGIN: CHINA AGE GRADING FOR TESTING: 3+

**Date Samples Received**: 2022-03-07

**Date Tested** : 2022-03-07 to 2022-03-14

Requirements	Conclusion
1. ASTM Standard Consumer Safety Specification For Toy Safety F 963-17	
- physical and mechanical test	Pass
- flammability test	rass
- heavy metal test	
2. US Consumer Product Safety Improvement Act	
- Total Lead content in substrate in accordance with Sec. 101(a).	Pass
- Phthalates content in accordance with Sec 108 and 16 CFR 1307.	
3. The Total Lead content requirements according to the California Proposition 65	Pass
4.The BBP, DBP, DEHP, DnHP, DINP and DIDP content requirements according to	Pass
the California Proposition 65.	Pass
5.Total cadmium content requirements according to the California Proposition 65.	Pass
6.The Total Lead content requirements according to Illinois Public Act 095-1019	Pass
7.The Phthalates content requirements according to California Assembly Bill	Door
NO.1108	Pass
8. San Francisco Health Code	Door
- Phthalates content in accordance with Article 34, sec 34.2	Pass

CHEN Lufeng, James Authorized Signatory

#### STC (Shanghai) Company Limited



## **Test Report**

Date : 2022-03-17 Page 2 of 7

No. : SP22030099

The following test item(s) was/were performed on submitted sample(s) and/or components confirmed by applicant.

ll.	
Component Description	
erials:	
Plastic on rope: gray white	
Buckle: white	
erials:	
Rope: white	
rials:	
4 Spring in the buckle: silver	
erials:	
Fabric with glue of hat: red	
Fabric with glue of hat: brown	
Fabric with glue of hat: pink	
Buckle: white with silver spring	
1	

#### **Test Results:**

#### 1. ASTM Standard Consumer Safety Specification for Toy Safety F 963-17

#### **AGE GRADING:**

The sample did not contain an age grade; however, the applicant requested it be tested according to the age grade of 36 months and up.

#### **AGE GRADING FOR TESTING:**

36 months and up.

#### 1.1 Mechanical and physical hazards of the submitted sample

Ref.: ASTM F 963-17

Applicable requirements before and after use and abuse testing:

<u>Applicable</u>		
Section	<u>Description</u>	Result
4	Safety requirements	
4.1	Material Quality	Pass
4.2	Flammability	Pass*1
4.7	Accessible Edges	Pass
4.9	Accessible Points	Pass
5	<u>Labeling Requirements</u>	
5.2	Age grading labeling	Pass
5.16	Promotional Materials	Pass
7	Producer's Markings	
7.1	Producer's Name and Address	Pass

<sup>\*1=</sup>Please refer to section 1.2 of this report for details.

Use and abuse testing:

#### STC (Shanghai) Company Limited

number: 1221



## **Test Report**

Date : 2022-03-17 Page 3 of 7

No. : SP22030099

#### **Test Results:**

Applicable		
Section	<u>Description</u>	<u>Test Condition</u>
8.7	Drop Tests	4 drops at 3 ft.
8.8	Torque Tests	4 in-lbs or $\pm 180^{\circ}$
8.9	Tension Tests	15 lbs.
8.10	Compression Tests	30 lbs.

#### 1.2 Flammability test for solids and soft toys

Ref.: ASTM F963-17 Section 4.2 Method used: FHSA 16CFR 1500.44

Result: Pass

Sample Burn rate (in/sec.)
red hat DNI

pink hat DNI brown hat DNI

DNI = Did not ignite

Note: In accordance with the FHSA, the burn rate should not be greater than 0.1 in. per second.

#### 1.3 Heavy metal test

Ref.: ASTM F963-17 Section 4.3.5 Method: ASTM F963-17 Section 8.3

Determined by: Inductively Coupled Plasma-Optical Emission Spectrometer

#### 4.3.5.2 Toys Substrate Materials

#### Total lead test

<u>Sample</u>	<u>Result</u>	<u>Limit</u>
<u>1</u>	<10ppm	100ppm
<u>2</u>	<10ppm	100ppm
<u>3</u>	<10ppm	100ppm
$\overline{4}$	<10ppm	100ppm
$5+\overline{6}+7$	<10ppm	100ppm

#### Soluble metals test:



## **Test Report**

Date : 2022-03-17 Page 4 of 7 No. : SP22030099

#### **Test Results:**

	<u>1</u>	<u>3</u>	<u>5</u>	<u>Limit</u>
Soluble lead	<5ppm	<5ppm	<5ppm	90ppm
Soluble cadmium	<5ppm	<5ppm	<5ppm	75ppm
Soluble chromium	<5ppm	<5ppm	<5ppm	60ppm
Soluble barium	<5ppm	<5ppm	<5ppm	1000ppm
Soluble antimony	<5ppm	<5ppm	<5ppm	60ppm
Soluble arsenic	3ppm	<2ppm	<2ppm	25ppm
Soluble mercury	<5ppm	<5ppm	<5ppm	60ppm
Soluble selenium	<5ppm	<5ppm	<5ppm	500ppm
	<u>6</u>	<u>7</u>	<u>8</u>	<u>Limit</u>
Soluble lead	<5ppm	<5ppm	<5ppm	90ppm
Soluble cadmium	<5ppm <5ppm	7 <5ppm <5ppm	<5ppm <5ppm	90ppm 75ppm
Soluble cadmiumSoluble chromium	<5ppm	_* *	<5ppm	90ppm 75ppm 60ppm
Soluble cadmiumSoluble chromium	<5ppm <5ppm	<5ppm	<5ppm <5ppm <5ppm <5ppm	90ppm 75ppm 60ppm 1000ppm
Soluble cadmium	<5ppm <5ppm <5ppm	<5ppm <5ppm	<5ppm <5ppm <5ppm	90ppm 75ppm 60ppm
Soluble cadmium	<5ppm <5ppm <5ppm <5ppm <5ppm <2ppm	<5ppm <5ppm <5ppm	<5ppm <5ppm <5ppm <5ppm	90ppm 75ppm 60ppm 1000ppm 60ppm 25ppm
Soluble cadmium	<5ppm <5ppm <5ppm <5ppm <5ppm	<5ppm <5ppm <5ppm <5ppm	<5ppm <5ppm <5ppm <5ppm <5ppm	90ppm 75ppm 60ppm 1000ppm 60ppm

Note: < denotes less than.

#### 2. US Consumer Product Safety Improvement Act

#### 2.1 Children's products containing lead - Total Lead content in substrate

Ref.: CPSIA Sec 101(a)

Test method: CPSC-CH-E1002-08.3

Determined by: Inductively Coupled Plasma-Optical Emission Spectrometer

<u>Sample</u>	<u>Result</u>	<u>Limit</u>
1	<10ppm	$1\overline{00ppm}$
$\overline{2}$	<10ppm	100ppm
$\frac{2}{3}$	<10ppm	100ppm
$\overline{4}$	<10ppm	100ppm
<u>5+6+7</u>	<10ppm	100ppm

Note: < denotes less than.

#### 2.2 Phthalates content

Ref.: CPSIA Sec 108 and 16 CFR 1307

Determined by: Gas Chromatography with Mass Selective Detector

#### STC (Shanghai) Company Limited

For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.

number: 1221



## **Test Report**

Date: 2022-03-17 Page 5 of 7 No. : SP22030099

## **Test Results:**

Test Item	CAS No.	Result(ppm)			<u>Limit</u>
<u>rest item</u>	CAS NO.	<u>1</u>	<u>2</u>	<u>5+6+7</u>	(ppm)
Di-n-butyl phthalate (DBP)	84-74-2	<100	<100	<100	1000
Benzyl-n-butyl phthalate (BBP)	85-68-7	<100	<100	<100	1000
Di (2-ethylhexyl) phthalate	117-81-7	<100	<100	<100	1000
(DEHP)		<100	<100	<100	1000
Diisononyl phthalate (DINP)	28553-12-0	<100	<100	<100	1000
Di-n-Hexyl phthalate (DnHP)	84-75-3	<100	<100	<100	1000
Di-isobutyl phthalate(DIBP)	84-69-5	<100	<100	<100	1000
Di-n-penty1 phthalate(DPENP)	131-18-0	<100	<100	<100	1000
Di-cyclohexyl phthalate(DCHP)	84-61-7	<100	<100	<100	1000

Note: < denotes less than.

#### 3. The Total Lead Content

Ref.: California Proposition 65 Test method: CPSC-CH-E1002-08.3

Determined by: Inductively Coupled Plasma-Optical Emission Spectrometer

<u>Sample</u>	Result	<u>Limit</u>
<u>1</u>	<10ppm	100ppm
<u>2</u>	<10ppm	100ppm
<u>3</u>	<10ppm	100ppm
<u>4</u>	<10ppm	100ppm
<u>5+6+7</u>	<10ppm	100ppm

Note: < denotes less than.

## **4. The BBP, DBP, DEHP, DnHP, DINP and DIDP content** Ref.: California Proposition 65

Determined by: Gas Chromatography with Mass Selective Detector

	<u>1</u>	<u>2</u>	<u>5+6+7</u>
Di-n-butyl phthalate (DBP)	<100ppm	<100ppm	<100ppm
Benzyl-n-butyl phthalate (BBP)	<100ppm	<100ppm	<100ppm
Di (2-ethylhexyl) phthalate(DEHP)	<100ppm	<100ppm	<100ppm
Di-n-Hexyl phthalate (DnHP)	<100ppm	<100ppm	<100ppm
Di-iso-nonyl phthalate(DINP)	<100ppm	<100ppm	<100ppm
Di-iso-decvl phthalate(DIDP)	<100ppm	<100ppm	<100ppm

Requirement: Each of the above phthalates shall not be greater than 1000ppm by mass of the tested material.

Note: < denotes less than.

#### 5. The Total cadmium content

Ref.: California Proposition 65

Determined by: Inductively Coupled Plasma-Optical Emission Spectrometer

#### STC (Shanghai) Company Limited

130 Huashen Road, Waigaoqiao Pilot Free Trade Zone, Shanghai, China. Zip Code: 200131 Tel: +86 21 5219 8248 Fax: +86 21 5219 8249 Email: shstc@stc.group Website: www.stc.group This report shall not be reproduced unless with prior written approval from STC (shanghai) Company Limited. Instead of certified for the society, it is used for internal reference only.

For Conditions of Issuance of this test report, please refer to "Conditions of Issuance of Test Reports" section or Website.



## **Test Report**

Date: 2022-03-17 Page 6 of 7

No. : SP22030099

#### **Test Results:**

<u>Sample</u>	<u>Result</u>	<u>Limit</u>
<u>1</u>	<5ppm	75ppm
<u>2</u>	<5ppm	75ppm
<u>3</u>	<5ppm	75ppm
<u>4</u>	<5ppm	75ppm
<u>5+6+7</u>	<5ppm	75ppm

Note: < denotes less than.

# **6.** The Total Lead Content requirements according to Illinois Public Act 095-1019 Test method: CPSC-CH-E1002-08.3 Determined by: Inductively Coupled Plasma-Optical Emission Spectrometer

<u>Sample</u>	Result	<u>Limit</u>
<u>1</u>	<10ppm	40ppm
2	<10ppm	40ppm
<u>3</u>	<10ppm	40ppm
<u>4</u>	<10ppm	40ppm
5+6+7	<10ppm	40ppm

Note: < denotes less than.

#### 7. Phthalates content

Ref.: California Assembly Bill NO.1108

Determined by: Gas Chromatography with Mass Selective Detector

#### A. Any toy or children article

Tost Itom	CACNO		Limit(nam)				
<u>Test Item</u>	CAS No.	1	2	5+6+7	Limit(ppm)		
Dibutyl phthalate(DBP)	84-74-2	<100	<100	<100	1000		
Butyl benzyl phthalate (BBP)	85-68-7	<100	<100	<100	1000		
Di -2-ethylhexyl phthalate (DEHP)	117-81-7	<100	<100	<100	1000		

B. Any toys and children articles which can be placed in mouth for children under 3 years

Test Item	CAS No.	Result(ppm)			Limit(nnm)
<u>rest item</u>	CAS NO.	<u>1</u>	<u>2</u>	<u>5+6+7</u>	<u>Limit(ppm)</u>
Di-n-octyl phthalate(DNOP)	117-84-0	<100	<100	<100	1000
Di-iso-decyl phthalate(DIDP)	26761-40-0	<100	<100	<100	1000
Di-iso-nonyl phthalate(DINP)	28553-12-0	<100	<100	<100	1000

Note: < denotes less than.

8. Phthalates content Ref.: San Francisco Health Code Article 34, sec 34.2

Determined by: Gas Chromatography with Mass Selective Detector

#### STC (Shanghai) Company Limited



## **Test Report**

Date : 2022-03-17 Page 7 of 7 No. : SP22030099

#### **Test Results:**

	<u>1</u>	<u>2</u>	<u>5+6+7</u>
Di-n-butyl phthalate (DBP)	<100ppm	<100ppm	<100ppm
Benzyl-n-butyl phthalate (BBP)	<100ppm	<100ppm	<100ppm
Di (2-ethylhexyl) phthalate(DEHP)	<100ppm	<100ppm	<100ppm
Di-n-octyl phthalate(DNOP)	<100ppm	<100ppm	<100ppm
Di-iso-nonyl phthalate(DINP)	<100ppm	<100ppm	<100ppm
Di-iso-decyl phthalate(DIDP)	<100ppm	<100ppm	<100ppm

Requirement: Each of the above phthalates shall not be greater than 1000ppm by mass of the tested

material.

Note: < denotes less than.

#### The photo of submitted samples



\*\*\*\*\* End of Test Report \*\*\*\*\*

### **Conditions of Issuance of Test Reports**

- 1. All samples and goods are accepted by The STC (Shanghai) Company Limited (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The Company provides its services on the basis that such terms and conditions constitute express agreement between the Company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by the Company as a result of this application for testing service (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to his customer, supplier or other persons directly concerned. Subject to clause 3 ,the Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall be at liberty to disclose the testing-related documents and/or files anytime to any third-party accreditation and/or recognition bodies for audit or other related purposes. No liabilities whatsoever shall attach to the Company's act of disclosure.
- 4. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 5. The results in Report apply only to the sample as received and do not apply to the bulk, unless the sampling has been carried out by the Company and is stated as such in the Report. The Clients provide the sample's relevant information, and the Company will not be liable for or accept responsibility for the truth of the sample information.
- 6. When a statement of conformity to a specification or standard is provided, the ILAC-G8 Guidance document (and/or IEC Guide 115 in the electrotechnical sector) with 95% coverage probability will be adopted as a decision rule for the determination of conformity unless it is inherent in the requested specification or standard, or otherwise specified in the Report.
- 7. In the event of the improper use the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 8. Sample submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 9. The Company will not be liable for or accept responsibility for any loss or damage howsoever arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 10. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 11. Subject to the variable length of retention time for test data and report stored hereinto as to otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of this test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after the retention period. Under no circumstances shall we be liable for damages of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any

form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

12. Issuance records of the Report are available on the internet at www.stc.group. Further enquiry of validity or verification of the Reports should be addressed to the Company.